


PageSpeed Insights

Mobile



Products of Appiko



38 / 100 Speed

! Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://appiko.org/css/animate.css> (4 hours)
- <https://appiko.org/css/base.css> (4 hours)
- <https://appiko.org/css/bootstrap.min.css> (4 hours)
- <https://appiko.org/css/elements.css> (4 hours)
- <https://appiko.org/css/font-awesome.min.css> (4 hours)
- <https://appiko.org/css/magnific-popup.css> (4 hours)

Mobile

- <https://appiko.org/css/owl.carousel.css> (4 hours)
- <https://appiko.org/css/owl.transitions.css> (4 hours)
- <https://appiko.org/css/responsive.css> (4 hours)
- <https://appiko.org/css/themify-icons.css> (4 hours)
- https://appiko.org/images/background/ecr_1920_1000.jpg (4 hours)
- https://appiko.org/images/logo/logo_text.png (4 hours)
- <https://appiko.org/images/sensepi/bottom1.png> (4 hours)
- <https://appiko.org/images/sensepi/tripod1.png> (4 hours)
- <https://appiko.org/images/team/Prithvi.jpg> (4 hours)
- <https://appiko.org/images/team/Priya.jpg> (4 hours)
- <https://appiko.org/images/team/Shubham.jpg> (4 hours)
- <https://appiko.org/images/team/Tejas.jpg> (4 hours)
- <https://appiko.org/js/bootstrap.min.js> (4 hours)
- <https://appiko.org/js/counter.js> (4 hours)
- <https://appiko.org/js/equalize.min.js> (4 hours)
- <https://appiko.org/js/imagesloaded.pkgd.min.js> (4 hours)
- <https://appiko.org/js/jquery.appear.js> (4 hours)
- <https://appiko.org/js/jquery.countTo.js> (4 hours)
- <https://appiko.org/js/jquery.fitvids.js> (4 hours)
- <https://appiko.org/js/jquery.isotope.min.js> (4 hours)
- <https://appiko.org/js/jquery.magnific-popup.min.js> (4 hours)
- <https://appiko.org/js/jquery.min.js> (4 hours)
- <https://appiko.org/js/jquery.nav.js> (4 hours)
- <https://appiko.org/js/main.js> (4 hours)
- <https://appiko.org/js/owl.carousel.min.js> (4 hours)
- <https://appiko.org/js/smooth-scroll.js> (4 hours)
- https://appiko.org/js/twitterFetcher_min.js (4 hours)
- <https://appiko.org/js/wow.min.js> (4 hours)

Mobile

- <https://appiko.org/cdn-cgi/scripts/f2bf09f8/cloudflare-static/email-decode.min.js> (2 days)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 12 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <https://appiko.org/css/animate.css>
- <https://appiko.org/css/bootstrap.min.css>
- <https://appiko.org/css/font-awesome.min.css>
- <https://appiko.org/css/themify-icons.css>
- <https://appiko.org/css/owl.transitions.css>
- <https://appiko.org/css/owl.carousel.css>
- <https://appiko.org/css/magnific-popup.css>
- <https://appiko.org/css/base.css>
- <https://fonts.googleapis.com/css?family=Open+Sans:400,300,600,700>
- <https://fonts.googleapis.com/css?family=Montserrat:100,200,300,400,500,600,700,800,900>
- <https://appiko.org/css/elements.css>
- <https://appiko.org/css/responsive.css>

Optimize images

Properly formatting and compressing images can save many bytes of data.

Mobile

[Optimize the following images](#) to reduce their size by 935.8KiB (67% reduction).

- Compressing and resizing <https://appiko.org/images/team/Priya.jpg> could save 233.4KiB (96% reduction).
- Compressing and resizing <https://appiko.org/images/team/Tejas.jpg> could save 228.2KiB (96% reduction).
- Compressing and resizing <https://appiko.org/images/team/Prithvi.jpg> could save 202.3KiB (95% reduction).
- Compressing and resizing <https://appiko.org/images/team/Shubham.jpg> could save 199.1KiB (95% reduction).
- Compressing https://appiko.org/images/background/ecr_1920_1000.jpg could save 72.8KiB (15% reduction).

Consider Fixing:

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 414B (16% reduction).

- Minifying <https://appiko.org/js/jquery.fitvids.js> could save 178B (17% reduction) after compression.
- Minifying <https://appiko.org/js/smooth-scroll.js> could save 128B (11% reduction) after compression.
- Minifying <https://appiko.org/js/equalize.min.js> could save 108B (30% reduction) after compression.

6 Passed Rules

Avoid landing page redirects

Mobile

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

96 / 100 User Experience

 Consider Fixing:

Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

Mobile

The page content is 415 CSS pixels wide, but the viewport is only 400 CSS pixels wide. The following elements fall outside the viewport:

- The element `<div class="col-md-3 col-s...12 text-center">Prithvi Raj Na...y sustainable.</div>` falls outside the viewport.
- The element `<div class="col-md-3 col-s...ty-nine-bottom">Priya Narasimh...r environment.</div>` falls outside the viewport.
- The element `<div class="col-md-3 col-s...ty-nine-bottom">Shubham Mohapa...e and money!".</div>` falls outside the viewport.
- The element `<div class="col-md-3 col-s...ty-nine-bottom">Tejas Vasekar...x environment.</div>` falls outside the viewport.

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `Sangram Parida` and 1 others are close to other tap targets.



3 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Mobile

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



26 / 100 Speed

! Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://appiko.org/css/animate.css> (4 hours)
- <https://appiko.org/css/base.css> (4 hours)
- <https://appiko.org/css/bootstrap.min.css> (4 hours)
- <https://appiko.org/css/elements.css> (4 hours)
- <https://appiko.org/css/font-awesome.min.css> (4 hours)
- <https://appiko.org/css/magnific-popup.css> (4 hours)

Desktop

- <https://appiko.org/css/owl.carousel.css> (4 hours)
- <https://appiko.org/css/owl.transitions.css> (4 hours)
- <https://appiko.org/css/responsive.css> (4 hours)
- <https://appiko.org/css/themify-icons.css> (4 hours)
- https://appiko.org/images/background/ecr_1920_1000.jpg (4 hours)
- https://appiko.org/images/logo/logo_text.png (4 hours)
- <https://appiko.org/images/sensepi/bottom1.png> (4 hours)
- <https://appiko.org/images/sensepi/tripod1.png> (4 hours)
- <https://appiko.org/images/team/Prithvi.jpg> (4 hours)
- <https://appiko.org/images/team/Priya.jpg> (4 hours)
- <https://appiko.org/images/team/Shubham.jpg> (4 hours)
- <https://appiko.org/images/team/Tejas.jpg> (4 hours)
- <https://appiko.org/js/bootstrap.min.js> (4 hours)
- <https://appiko.org/js/counter.js> (4 hours)
- <https://appiko.org/js/equalize.min.js> (4 hours)
- <https://appiko.org/js/imagesloaded.pkgd.min.js> (4 hours)
- <https://appiko.org/js/jquery.appear.js> (4 hours)
- <https://appiko.org/js/jquery.countTo.js> (4 hours)
- <https://appiko.org/js/jquery.fitvids.js> (4 hours)
- <https://appiko.org/js/jquery.isotope.min.js> (4 hours)
- <https://appiko.org/js/jquery.magnific-popup.min.js> (4 hours)
- <https://appiko.org/js/jquery.min.js> (4 hours)
- <https://appiko.org/js/jquery.nav.js> (4 hours)
- <https://appiko.org/js/main.js> (4 hours)
- <https://appiko.org/js/owl.carousel.min.js> (4 hours)
- <https://appiko.org/js/smooth-scroll.js> (4 hours)
- https://appiko.org/js/twitterFetcher_min.js (4 hours)
- <https://appiko.org/js/wow.min.js> (4 hours)

- <https://appiko.org/cdn-cgi/scripts/f2bf09f8/cloudflare-static/email-decode.min.js> (2 days)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 17 blocking script resources and 12 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://appiko.org/cdn-cgi/scripts/f2bf09f8/cloudflare-static/email-decode.min.js>
- <https://appiko.org/js/jquery.min.js>
- <https://appiko.org/js/jquery.appear.js>
- <https://appiko.org/js/smooth-scroll.js>
- <https://appiko.org/js/bootstrap.min.js>
- <https://appiko.org/js/wow.min.js>
- <https://appiko.org/js/owl.carousel.min.js>
- <https://appiko.org/js/imagesloaded.pkgd.min.js>
- <https://appiko.org/js/jquery.isotope.min.js>
- <https://appiko.org/js/jquery.magnific-popup.min.js>
- <https://appiko.org/js/jquery.nav.js>
- <https://appiko.org/js/equalize.min.js>
- <https://appiko.org/js/jquery.fitvids.js>
- <https://appiko.org/js/jquery.countTo.js>
- <https://appiko.org/js/counter.js>
- https://appiko.org/js/twitterFetcher_min.js
- <https://appiko.org/js/main.js>

Desktop

[Optimize CSS Delivery](#) of the following:

- <https://appiko.org/css/animate.css>
- <https://appiko.org/css/bootstrap.min.css>
- <https://appiko.org/css/font-awesome.min.css>
- <https://appiko.org/css/themify-icons.css>
- <https://appiko.org/css/owl.transitions.css>
- <https://appiko.org/css/owl.carousel.css>
- <https://appiko.org/css/magnific-popup.css>
- <https://appiko.org/css/base.css>
- <https://fonts.googleapis.com/css?family=Open+Sans:400,300,600,700>
- <https://fonts.googleapis.com/css?family=Montserrat:100,200,300,400,500,600,700,800,900>
- <https://appiko.org/css/elements.css>
- <https://appiko.org/css/responsive.css>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 2.4MiB (76% reduction).

- Compressing and resizing <https://appiko.org/images/sensepi/tripod1.png> could save 1.5MiB (84% reduction).
- Compressing and resizing <https://appiko.org/images/team/Priya.jpg> could save 227.5KiB (94% reduction).
- Compressing and resizing <https://appiko.org/images/team/Tejas.jpg> could save 222.3KiB (93% reduction).
- Compressing and resizing <https://appiko.org/images/team/Prithvi.jpg> could save 196.1KiB (92% reduction).
- Compressing and resizing <https://appiko.org/images/team/Shubham.jpg> could save 193.2KiB (93% reduction).
- Compressing https://appiko.org/images/background/ecr_1920_1000.jpg could save 72.8KiB

Desktop

(15% reduction).

- Compressing and resizing https://appiko.org/images/logo/logo_text.png could save 6KiB (69% reduction).



Consider Fixing:

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 414B (16% reduction).

- Minifying <https://appiko.org/js/jquery.fitvids.js> could save 178B (17% reduction) after compression.
- Minifying <https://appiko.org/js/smooth-scroll.js> could save 128B (11% reduction) after compression.
- Minifying <https://appiko.org/js/equalize.min.js> could save 108B (30% reduction) after compression.

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 20% of the final above-the-fold content could be rendered with the full HTML response.
- [Click to see the screenshot with only the HTML response: snapshot:29](#)



5 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).