

PageSpeed Insights

Mobile



83 / 100 Speed

! Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://medianetworks.cl/swfobject.js>

[Optimize CSS Delivery](#) of the following:

- <http://medianetworks.cl/fonts.css>

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 7.3KiB (72% reduction).

- Compressing <http://medianetworks.cl/swfobject.js> could save 4.5KiB (67% reduction).
- Compressing <http://medianetworks.cl/fonts.css> could save 2.8KiB (84% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://medianetworks.cl/fonts.css> (expiration not specified)
- <http://medianetworks.cl/swfobject.js> (expiration not specified)
- <http://www.medianetworks.cl/images/flashplayer.jpg> (expiration not specified)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 344B (11% reduction).

Mobile

- Minifying <http://medianetworks.cl/fonts.css> could save 344B (11% reduction).

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 187B (11% reduction).

- Compressing <http://www.medianetworks.cl/images/flashplayer.jpg> could save 187B (11% reduction).



5 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Mobile

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

58 / 100 User Experience

Should Fix:

Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

[Configure a viewport](#) for this page.

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `Saltar Introducción` is close to 1 other tap targets final.
- The tap target `Hosting chileno` and 8 others are close to other tap targets final.
- The tap target `Pymes de Chile` and 12 others are close to other tap targets final.

Mobile

Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. [Use legible font sizes](#) to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- Saltar Introducción renders only 6 pixels tall (16 CSS pixels) final.
- Hosting y dise...nal de Hosting and 14 others render only 3 pixels tall (9 CSS pixels) final.
- . Una consulta...sto. Usted con and 21 others render only 3 pixels tall (9 CSS pixels) final.



2 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Desktop



93 / 100 Speed

! Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 7.3KiB (72% reduction).

- Compressing <http://medianetworks.cl/swfobject.js> could save 4.5KiB (67% reduction).
- Compressing <http://medianetworks.cl/fonts.css> could save 2.8KiB (84% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://medianetworks.cl/fonts.css> (expiration not specified)
- <http://medianetworks.cl/swfobject.js> (expiration not specified)
- <http://www.medianetworks.cl/images/flashplayer.jpg> (expiration not specified)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 344B (11% reduction).

- Minifying <http://medianetworks.cl/fonts.css> could save 344B (11% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://medianetworks.cl/swfobject.js>

[Optimize CSS Delivery](#) of the following:

- <http://medianetworks.cl/fonts.css>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 187B (11% reduction).

Desktop

- Compressing <http://www.medianetworks.cl/images/flashplayer.jpg> could save 187B (11% reduction).



5 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).