

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://www.canstock.photo/css/bootstrap-responsive.min.css> (expiration not specified)
- <http://www.canstock.photo/css/bootstrap.min.css> (expiration not specified)
- <http://www.canstock.photo/images/bg2.jpg> (expiration not specified)
- http://www.canstock.photo/images/footer_illustrations_2.jpg (expiration not specified)
- http://www.canstock.photo/images/footer_photo_2.jpg (expiration not specified)
- <http://www.canstock.photo/images/soda-red.png> (expiration not specified)
- <http://www.canstock.photo/js/bootstrap.min.js> (expiration not specified)
- <http://www.canstock.photo/style.css> (expiration not specified)
- <http://www.sitelogic.biz/images/SLbiz-logo-270-70.png> (expiration not specified)
- <http://www.sitelogic.biz/style.css> (expiration not specified)
- <http://www.googletagservices.com/tag/js/gpt.js> (15 minutes)
- <https://apis.google.com/js/plusone.js> (30 minutes)
- https://apis.google.com/js/rpc:shindig_random.js?onload=init (30 minutes)
- <http://www.googletagservices.com/activeview/js/current/osd.js?cb=%2Fr20100101> (50 minutes)
- <https://www.googletagservices.com/activeview/js/current/osd.js?cb=%2Fr20100101> (50 minutes)
- https://www.googletagservices.com/activeview/js/current/osd_listener.js?cache=r20110914 (50 minutes)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <http://www.google-analytics.com/analytics.js> (2 hours)
- <http://www.google-analytics.com/ga.js> (2 hours)

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 405.8KiB (45% reduction).

- Compressing <http://www.canstock.photo/images/bg2.jpg> could save 282KiB (44% reduction).
- Compressing http://www.canstock.photo/images/footer_photo_2.jpg could save 115.4KiB (48% reduction).
- Compressing http://www.canstock.photo/images/footer_illustrations_2.jpg could save 7KiB (30% reduction).
- Compressing <http://www.sitelogic.biz/images/SLbiz-logo-270-70.png> could save 1.2KiB (24% reduction).
- Compressing <https://static.xx.fbcdn.net/rsrc.php/v3/y5/r/OqOE21UvWe3.png> could save 201B (50% reduction).

Consider Fixing:

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 11.6KiB (33% reduction).

- Minifying <http://www.canstock.photo/style.css> could save 9.8KiB (36% reduction).
- Minifying <http://www.sitelogic.biz/style.css> could save 1.8KiB (24% reduction).

Mobile

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 1KiB (17% reduction).

- Minifying <http://www.canstock.photo/> could save 738B (23% reduction) after compression.
- Minifying <http://www.sitelogic.biz/> could save 320B (11% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 41.3KiB (50% reduction).

- Minifying <http://code.jquery.com/jquery-latest.js> could save 41.3KiB (50% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <http://www.sitelogic.biz/style.css>

Mobile



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

57 / 100 User Experience



Should Fix:

Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

[Configure a viewport](#) for this page.

Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

Mobile

The page content is 1,066 CSS pixels wide, but the viewport is only 980 CSS pixels wide. The following elements fall outside the viewport:

- The element `<div class="navcontainer">Home Latest Contact Us</div>` falls outside the viewport.
- The element `<div class="site-search-div"></div>` falls outside the viewport.
- The element `<h1>SiteLogic</h1>` falls outside the viewport.
- The element `<div class="site-description">SiteLogic.biz...the websites.</div>` falls outside the viewport.
- The element `<h2>Last Added</h2>` falls outside the viewport.
- The element `sobrebitcoin.com` falls outside the viewport.
- The element `taverndeбалirestaurant.com` falls outside the viewport.
- The element `bitsonline.com` falls outside the viewport.
- The element `20208.co` falls outside the viewport.
- The element `g-utter-ant.space` falls outside the viewport.
- The element `372879.com` falls outside the viewport.
- The element `cqfhr.cn` falls outside the viewport.
- The element `csw.co.uk` falls outside the viewport.
- The element `dede.org.cn` falls outside the viewport.
- The element `basgl.com` falls outside the viewport.
- The element `xx0101.com` falls outside the viewport.
- The element `nsato.org` falls outside the viewport.
- The element `piasu.net` falls outside the viewport.

Mobile

- The element `watdesign.info` falls outside the viewport.
- The element `luxtronik-technology.com` falls outside the viewport.
- The element `higo.vn` falls outside the viewport.
- The element `jz.sysoft.cc` falls outside the viewport.
- The element `productos-para-la-alopecia.eu` falls outside the viewport.
- The element `<div class="ads_bottom"></div>` falls outside the viewport.
- The element `<div class="footer">© 2013 sitelog...ghts reserved.</div>` falls outside the viewport.

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `Latest` and 1 others are close to other tap targets final.
- The tap target `amvaa.com` and 48 others are close to other tap targets final.

Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. [Use legible font sizes](#) to provide a better user experience.

Mobile

The following text fragments have a small font size. Increase the font size to make them more legible.

- Contact Us and 2 others render only 6 pixels tall (15 CSS pixels) final.
- Like renders only 4 pixels tall (11 CSS pixels) final.
- 703 renders only 4 pixels tall (11 CSS pixels) final.
- provides deta...the websites. and 1 others render only 6 pixels tall (16 CSS pixels) final.
- site analysis tool renders only 6 pixels tall (16 CSS pixels) final.
- Last Added renders only 7 pixels tall (18 CSS pixels) final.
- prescottvalley...sdirectory.com and 49 others render only 7 pixels tall (18 CSS pixels) final.
- Illustrations and 5 others render only 7 pixels tall (17 CSS pixels) final.
- © 2013 sitelog...ghts reserved. renders only 6 pixels tall (16 CSS pixels) final.



1 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Desktop



59 / 100 Speed

Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 137.9KiB (80% reduction).

- Compressing <http://www.canstock.photo/css/bootstrap.min.css> could save 80.3KiB (83% reduction).
- Compressing <http://www.canstock.photo/style.css> could save 21.7KiB (77% reduction).
- Compressing <http://www.canstock.photo/js/bootstrap.min.js> could save 18.4KiB (73% reduction).
- Compressing <http://www.canstock.photo/css/bootstrap-responsive.min.css> could save 11.8KiB (75% reduction).
- Compressing <http://www.sitelogic.biz/style.css> could save 5.7KiB (73% reduction).

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 405.8KiB (45% reduction).

- Compressing <http://www.canstock.photo/images/bg2.jpg> could save 282KiB (44% reduction).
- Compressing http://www.canstock.photo/images/footer_photo_2.jpg could save 115.4KiB (48% reduction).
- Compressing http://www.canstock.photo/images/footer_illustrations_2.jpg could save 7KiB (30% reduction).
- Compressing <http://www.sitelogic.biz/images/SLbiz-logo-270-70.png> could save 1.2KiB (24% reduction).

Desktop

- Compressing <https://static.xx.fbcdn.net/rsrc.php/v3/y5/r/OqOE21UvWe3.png> could save 201B (50% reduction).

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://www.canstock.photo/css/bootstrap-responsive.min.css> (expiration not specified)
- <http://www.canstock.photo/css/bootstrap.min.css> (expiration not specified)
- <http://www.canstock.photo/images/bg2.jpg> (expiration not specified)
- http://www.canstock.photo/images/footer_illustrations_2.jpg (expiration not specified)
- http://www.canstock.photo/images/footer_photo_2.jpg (expiration not specified)
- <http://www.canstock.photo/images/soda-red.png> (expiration not specified)
- <http://www.canstock.photo/js/bootstrap.min.js> (expiration not specified)
- <http://www.canstock.photo/style.css> (expiration not specified)
- <http://www.sitelogic.biz/images/SLbiz-logo-270-70.png> (expiration not specified)
- <http://www.sitelogic.biz/style.css> (expiration not specified)
- <http://www.googletagservices.com/tag/js/gpt.js> (15 minutes)
- <https://apis.google.com/js/plusone.js> (30 minutes)
- https://apis.google.com/js/rpc/shindig_random.js?onload=init (30 minutes)
- <http://www.googletagservices.com/activeview/js/current/osd.js?cb=%2Fr20100101> (50 minutes)
- <https://www.googletagservices.com/activeview/js/current/osd.js?cb=%2Fr20100101> (50 minutes)
- https://www.googletagservices.com/activeview/js/current/osd_listener.js?cache=r20110914 (50 minutes)

Desktop

- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <http://www.google-analytics.com/analytics.js> (2 hours)
- <http://www.google-analytics.com/ga.js> (2 hours)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 11.6KiB (33% reduction).

- Minifying <http://www.canstock.photo/style.css> could save 9.8KiB (36% reduction).
- Minifying <http://www.sitelogic.biz/style.css> could save 1.8KiB (24% reduction).

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 1KiB (17% reduction).

- Minifying <http://www.canstock.photo/> could save 738B (23% reduction) after compression.
- Minifying <http://www.sitelogic.biz/> could save 320B (11% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 41.3KiB (50% reduction).

- Minifying <http://code.jquery.com/jquery-latest.js> could save 41.3KiB (50% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <http://www.sitelogic.biz/style.css>



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

Desktop

